

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 6678/W0	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/EP 01/ 00307	International filing date (day/month/year) 10/01/2001	(Earliest) Priority Date (day/month/year) 14/01/2000
Applicant SOCIETE DES PRODUITS NESTLE S.A.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 2 sheets.

It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

contained in the international application in written form.

filed together with the international application in computer readable form.

furnished subsequently to this Authority in written form.

furnished subsequently to this Authority in computer readable form.

the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. **Certain claims were found unsearchable** (See Box I).

3. **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

the text is approved as submitted by the applicant.

the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

the text is approved as submitted by the applicant.

the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

as suggested by the applicant.

because the applicant failed to suggest a figure.

because this figure better characterizes the invention.

1

None of the figures.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/00307

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 A23K1/18 A61K7/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23K A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 575 021 A (COLGATE PALMOLIVE CO) 22 December 1993 (1993-12-22) cited in the application page 4, line 10 -page 5, line 10 claims 1-3,6,7	1-20,25, 26
Y	---	21-24
X	EP 0 749 695 A (NESTLE SA) 27 December 1996 (1996-12-27) column 1, line 49 -column 2, line 7 claims 1,3; figure 1; examples 1,3	1,6,7, 12,13, 17-19
Y	---	22,23
Y	US 4 800 099 A (GELLMAN GARY ET AL) 24 January 1989 (1989-01-24) column 9, paragraph 1 -----	21,24

Further documents are listed in the continuation of box C.

Patent family members are listed in annex

Special categories of cited documents

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

28 June 2001

Date of mailing of the international search report

04/07/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax. (+31-70) 340-3016

Authorized officer

Rooney, K

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 01/00307

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0575021	A 22-12-1993	US 5431927 A AT 156667 T AU 3984893 A CA 2097757 A DE 69313034 D DE 69313034 T DK 575021 T ES 2106958 T FI 932738 A JP 6062763 A NO 932197 A PT 101288 A,B	11-07-1995 15-08-1997 23-12-1993 17-12-1993 18-09-1997 19-03-1998 30-03-1998 16-11-1997 21-03-1994 08-03-1994 17-12-1993 31-05-1994
EP 0749695	A 27-12-1996	AU 712560 B AU 5606096 A BR 9602844 A CA 2179532 A JP 9000169 A NO 962602 A NZ 286836 A US 6086939 A	11-11-1999 09-01-1997 22-04-1998 21-12-1996 07-01-1997 23-12-1996 26-08-1998 11-07-2000
US 4800099	A 24-01-1989	US 4743461 A	10-05-1988

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 July 2001 (19.07.2001)

PCT

(10) International Publication Number
WO 01/50882 A2

(51) International Patent Classification⁷: A23K 1/00

(21) International Application Number: PCT/EP01/00307

(22) International Filing Date: 10 January 2001 (10.01.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/483,328 14 January 2000 (14.01.2000) US

(71) Applicant (for all designated States except US): SOCIETE DES PRODUITS NESTLE S.A. [CH/CH]; P.O. Box 353, CH-1800 Vevey (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): CUPP, Carolyn, Jean [US/US]; 811 Adams Drive, Liberty, MO 64068 (US). GERHEART, Lynn, Ann [US/US]; 7825 Buckwood Drive, Smithville, MO 64089 (US). SCHNELL, Scott [US/US]; 4809 Woodfield Drive, St Joseph, MO 64506 (US). SMITHHEY, Sheri, Lynn [US/US]; 208 S. 31st Street, St. Joseph, MO 64501 (US). ANDERSON, Donna, Elizabeth [US/US]; 7702 NW Eastside Drive, Weatherby Lake, MO 64152 (US). DIXON, Dan [US/US]; 12527 Country Road 443, St. Joseph, MO 64505 (US).

(74) Agent: VUILLE, Roman; Avenue Nestlé 55, CH-1800 Vevey (CH).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).


Published:

— without international search report and to be republished upon receipt of that report

[Continued on next page]

(54) Title: DENTAL DIET FOR REDUCING TARTAR

CHEWING TIMES



■ CHEW TIME ● DENSITY

WO 01/50882 A2

(57) Abstract: A dried pet food which is able to mechanically clean the teeth of pets when chewed. The pet food is based on a matrix of a protein source and a carbohydrate source. The density of the product is less than 20.5 lbs/ft³. The product also has a large size as compared to at least some other prior dried pet food.

WO 01/50882 A2



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette

S P E C I F I C A T I O NTITLE**" DENTAL DIET FOR REDUCING TARTAR "**

5

RELATED APPLICATIONS

This is a Continuation-in-Part of U.S. Patent Application Serial No. 09/154,646 filed September 17, 1998.

BACKGROUND OF THE INVENTION

10 The present invention relates generally to pet foods. More specifically, the present invention relates to pet foods that when chewed by pets, cause a mechanical, abrasive cleaning of the pets' teeth.

15 Many pets suffer from dental health problems. It is estimated that over 70% of dogs have some degree of gingival or periodontal disease. Plaque formation on the surface of the pets' teeth is a primary factor in the development of such problems. Dental plaque is a combination of bacteria, bacterial by-products which form a glycoprotein matrix, and salivary precipitates which bind to the tooth surface.

20 Contributing to the problem is the formation of tartar or dental calculus (mineralized plaque). Dental calculus forms on the tooth surface at or above the gum line and serves as a substrate for the additional accumulation of plaque. Apart from causing gum irritation and potentially, periodontal disease if left untreated, this calculus has an unsightly appearance.

25 Pets are more susceptible to the formation of plaque and calculus than animals in the wild. This is due to the nature of the foods that pets eat. In the wild, many animals eat foods that mechanically abrade plaque and calculus from the teeth. In contrast, pets are usually fed commercially available pet foods that although they may provide better nutritional value, do not in general subject the teeth to abrasive forces sufficient to clean the teeth. This is even true of dried kibbles that are able to abrade the teeth only to a very limited extent. In part, this is due to the fact that dried kibbles 30 usually crumble when chewed by the pet.

Maintenance of optimal dental health depends on regular professional cleaning of all these accumulations both above and below the gum line, as well as adequate home care. Mechanical cleansing of the tooth surfaces with tooth brushing is an effective means of controlling the buildup of plaque and calculus in both humans and 5 pets. However, most pet owners are reluctant or unable to provide the routine brushing necessary to maintain good oral health in their pets and would likely welcome an alternative provided by dietary means.

There have been various attempts to provide products for improving pet dental health. One such attempt centers around the use of chews made from rawhide or 10 rawhide substitutes. By allowing the pet to gnaw or chew on such rawhide products, the pet abrades calculus and plaque from its teeth. It is also possible, as described in European patent application 0272968, to incorporate various oral care agents into such chews. These products, however, have the drawback that they are typically expensive. Moreover, they are usually only effective with dogs that are prone to chew and gnaw.

15 Another approach has been to incorporate oral care agents into certain pet foods. For example, U.S. Patent No. 5,000,940 discloses baked dog biscuits which contain a tetrasodium pyrophosphate salt. The patent states that the salt causes a reduction in calculus accumulation. Another example of such an approach is, European patent application 0205354 which discloses baked dog biscuits which contain vegetable fibers 20 to abrade the teeth of the dog when chewed. A drawback with both of these products, however, is that the biscuits crumble upon being bitten. Hence, the dog cannot chew the product and little abrasion occurs. This thereby reduces the efficacy of the product.

A further approach is described in U.S. Patent No. 5,431,927. That patent describes a dried product which contains aligned fibers which, when chewed, fracture 25 in long striations rather than crumbling. The patent states that this allows the product to remain in contact with the animals' teeth for a longer period of time hence enhancing the abrasive effect. However, a disadvantage of this product is that it must be produced using a specially coated die that allows laminar flow conditions within the die. The laminar flow condition is reported to cause the alignment of the fibers within the 30 product leading to the fracturing of the product when bitten by the animal. The use of such dies necessitates a complicated procedure for manufacturing the product.

There is therefore a need for an improved dental care pet food.

SUMMARY OF THE INVENTION

5 The present invention provides a dry pet food that will reduce tartar when chewed by the pet. It has been surprisingly found that by reducing the density and/or increasing the size of the pet food product, that the resultant product will remove more plaque and tartar build-up than similar pet food products.

10 To this end, in an embodiment the present invention provides a dried pet food comprising a matrix including a protein source, a carbohydrate source, an insoluble fiber, and having a density of less than 20.5 lbs/ft³.

In a further embodiment of the present invention, a dried pet food is provided comprising a matrix including a protein source, a carbohydrate source, insoluble fiber and having a length of at least 15 mm, a width of at least 13.5 mm, and a thickness of at least 12 mm.

15 In a still further embodiment of the present invention, a dried pet food is provided comprising a matrix including a protein source, a carbohydrate source, insoluble fiber, a density of less than 20.5 lbs/ft³, and dimensioned so as to have a length of at least 15 mm, a width of at least 13.5 mm, and a thickness of at least 12 mm.

20 In yet another embodiment of the present invention, a dried pet food is provided comprising at least 25% by weight of a kibble including a matrix having a protein source, carbohydrate source, insoluble fiber, and a density of less than 20.5 lbs/ft³.

In an embodiment of any of the above inventions, the protein source comprises denatured protein.

25 In an embodiment of any of the above inventions, the carbohydrate source comprises gelatinized carbohydrate.

In an embodiment of any of the above inventions, the insoluble fiber comprises approximately 2% to about 15% by weight of the matrix.

In an embodiment of any of the above inventions, the insoluble fiber may be a cellulose fiber.

30 In an embodiment of any of the above inventions, the product may include a humectant.

Methods of reducing calculus and plaque on pets' teeth are also provided. To this end, in an embodiment, a method of reducing calculus and plaque build-up on a pet's teeth is provided comprising the step of allowing the pet to chew on dried pet food having a matrix including a protein source, a carbohydrate source, insoluble fiber, and 5 having a density of less than 20.5 lb/ft³.

An advantage of the present invention is to provide an improved pet food for reducing tartar on pets' teeth.

Another advantage of the present invention is to provide an improved dental care pet food for dogs.

10 A still further advantage of the present invention is to provide an improved dental care product that can be mixed with regular pet food and still achieve dental health care benefits for the pet.

Moreover, an advantage of the present invention is to provide a dried pet food that does not require the use of a humectant.

15 Furthermore, an advantage of the present invention is to provide an improved method for making dried pet food that provides dental benefits.

Further, an advantage of the present invention is to provide a cost effective method for improving the dental health of pets.

20 Additional features and advantages of the present invention are described in and will be apparent from the detailed description of the presently preferred embodiments set forth below.

BRIEF DESCRIPTION OF DRAWINGS

25 Figure 1 is a graph showing a comparison of chewing time of the inventive product with chewing times of currently available products.

DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

30 The present invention relates generally to dried pet food for cleaning pets' teeth. It has been surprisingly found that by reducing the density of dried pet food and/or

providing a larger product, that an improved tartar removing product can be provided for pets. This is true even if the product does not include a texturizing agent (humectant).

In a preferred embodiment, the present invention provides a dried pet food comprising a matrix including a denatured protein source, a gelatinized carbohydrate source, and insoluble fiber. Preferably, the pet food has a density of approximately 15.6 lb/ft³ (250 kg/m³) to about 20.5 lb/ft³ (330 kg/m³), in an embodiment, approximately 16.8 lb/ft³ (270 kg/m³) to 20 lb/ft³ (320 kg/m³). Furthermore, preferably the pet food is dimensional such that it has a length of at least 15 mm, a width of at least 13.5 mm, and a thickness of at least 12 mm. In an embodiment, the pet food has a length of approximately 20 mm, a width of at least 15 mm, and a thickness of at least 18 mm. The pet food may alternatively be provided in kibble shapes such as triangles, pentagons and stars. An example of a triangle kibble has the following dimensions : thickness 16mm, base 28mm and sides 32mm. An example of a pentagon has a diameter of 22.8mm and a thickness of 14.2mm.

Preferably, the pet food has a texture such that a probe, having a contact area of about 1 mm² and operated at a speed of about 5 mm/s, penetrates into the matrix for a distance of at least about 30% of the thickness of the matrix prior to breaking the matrix, more preferably at least about 40%. For example, for a dog food, the probe may penetrate a distance of approximately 6.0 mm, preferably at least 6.5 mm, prior to breaking the matrix.

The carbohydrate source is conveniently a grain such as corn, rice, wheat, beets, barley, oats, or soy, and/or mixtures of these grains. The grain is typically provided in the form of a flour or a meal. Pure or substantially pure starches may also be used if desired. The exact carbohydrate source or sources used in the present invention is not critical to the invention. Generally, the carbohydrate source is selected on the basis of cost and palatability. It should be noted that the carbohydrate source may or may not contain protein. In a preferred embodiment, the dried pet food contains approximately 20% to about 65% by weight of carbohydrate.

A variety of protein sources can be used for the protein component. The protein source may be a vegetable protein source, an animal protein source, or a mixture of

these protein sources. Suitable vegetable protein sources include gluten, wheat protein, soy protein, rice protein, corn protein, and the like. These proteins can be provided in the form of flours, concentrates, and isolates, as desired. Suitable animal protein sources include muscular or skeletal meat of mammals, poultry, and fish; meals such as meat meal, bone meal, fish meal, and poultry meal; by-products such as hearts, liver, kidneys, tongue, and the like; and milk proteins. Preferably, the dried pet food contains approximately 12% to about 50% by weight proteins, and in a most preferred embodiment, more than about 15% to 40% by weight protein. The dried food may contain a mixture of protein sources, for example, corn gluten meal and beef and bone meal. It is found to be advantageous to include corn gluten meal at about 15 – 20% together with beef and bone meal at 3 – 10% to obtain the desired density of the final product. The protein sources may also include soy bean meal. A preferred range for soy bean meal is from only 5% to 15%, more preferably 6 – 8% of the total composition of the food mix formulation.

The insoluble fiber may be any suitable fiber. By way of example, suitable fibers include soy fiber, rice hull fiber, pea hull fiber, oat hull fiber, barley hull fiber, sugarbeet fiber, wheat bran fiber, and pure cellulose. One such cellulose fiber is Solka-Floc®. Generally, the fiber is selected on the basis of cost and palatability considerations. However, as noted above, the product should have a density less than 20.5 lb/ft³. Accordingly, a fiber must be selected which results in a lower density product. Accordingly, a cellulose fiber may be used in a preferred embodiment. If used, preferably, the dried pet food contains approximately 2% to about 15% by weight of insoluble fiber.

As noted above, a texturizing agent is not necessary. However, if a texturizing agent is desired, a humectant may be provided. The humectant may be any suitable humectant, for example, glycerin, propylene glycol, butylene glycol, polyhydric glycols such as glycerol and sorbitol, hydrogenated starch, hydrolysates and the like. If used, the dried pet food can contain up to 5% by weight humectant.

If desired, abrasive agents may also be included. Suitable abrasive agents include ground oyster shells, titanium dioxide, and the like. Similarly dental care

agents may also be used if desired; for example, pyrophosphate salts such as tetrasodium pyrophosphate.

Various other ingredients, for example, salt, spices, seasonings, vitamins, minerals, flavoring agents, lipids, and the like may also be incorporated into the dried 5 pet product as desired. If added, the lipids may be any suitable animal fat; for example tallow, or may be a vegetable fat.

The dried pet food may be manufactured in many different ways as desired. However extrusion gelatinization is found to be particularly suitable.

In a specific example of a suitable extrusion gelatinization process, a dry feed 10 mixture is prepared from a protein source, a carbohydrate source, insoluble fiber, vitamins, and minerals. The dry feed mixture is then fed into a preconditioner.

In the preconditioner, water or steam, or both, is mixed into the dry feed mixture. Further, liquid flavor components, such as flavor digests or tallow, may be mixed into the dry feed mix in the preconditioner. Sufficient water, steam, or liquid 15 flavor components is mixed into the feed mixture to raise the moisture content of the dry feed mixture to approximately 10% to about 30% by weight. If desired, the temperature of the dry feed mixture may be raised in the preconditioner to approximately 60°C to about 95°C. A suitable preconditioner is described in U.S. Patent No. 4,752,139.

20 The moistened feed leaving the preconditioner is then fed into an extruder. If the product will include a humectant, the humectant is conveniently added to the moistened feed in the extruder. The extruder may be any suitable single or twin screw, cooking-extruder. Suitable extruders may be obtained from Wenger Manufacturing Inc., Clextral SA, Bühler AG, and the like. During passage through the extruder, the 25 moistened feed passes through a cooking zone, in which it is subjected to mechanical shear and is heated to a maximum temperature of up to about 130°C, and a forming zone. The gauge pressure in the forming zone is approximately 600 kPa to about 10 Mpa as desired. If desired, water or steam, or both, may be introduced into the cooking zone. Further, during passage through the extruder, the starch ingredients of the 30 moistened feed are gelatinized to provide a gelatinized matrix of starch, protein, insoluble fiber, and humectant.

The gelatinized matrix leaving the extruder is forced through a die. Any suitable die may be used. However, the orifice of the die is preferably chosen such that the distance from the center of the orifice to any inner surface is at least about 5 mm. This ensures that the extrudate has a diameter of at least about 18 mm; more preferably 5 at least about 20 mm. Further, the orifice is preferably shaped to provide a product kibble having at least one corner. Suitable examples of shapes are found to include triangles, pentagons and stars.

Upon leaving the die, the extrudate is cut into pieces using blades. The blades are preferably arranged such that the pieces have a length of at least about 12 mm; for 10 example about 14 mm. The individual pieces may then be processed as desired. For example, they may be partially or fully dried and coated with further flavoring agents. After cooling, the pieces may be packed into suitable packages.

After drying, the pieces preferably have a moisture content of less than about 10% by weight; for example about 3% to about 7% by weight when leaving the drier. 15 The pieces preferably have a water activity of less than about 0.7; more preferably less than about 0.6.

It has been found that the dry dog food kibbles of the invention require increased chewing time by the pet, assisting in the increasing of the dental benefits to be derived from the food. It is also noted that the length of chewing bouts increases, 20 providing exercise for jaw muscles. This is believed to contribute to improved oral health.

By way of example, and not limitation, examples of the present invention will now be given.

Example No. 1A

25 A dry mix is prepared from about 62% by weight of whole corn, about 16% by weight of beef and bone meal, about 14% soybean meal, about 4% by weight of fish and poultry meals, and about 3% by weight of cellulose and various vitamins and minerals. The dry mix is fed into a preconditioner along with a flavor digest. The preconditioned mixture is then fed into an extruder with or without about 2% by weight 30 of glycerin. The preconditioner is operated at about 87°C. Steam is injected into the preconditioner at about 9% DMR and water at about 4% DMR.

5 The moistened feed leaving the preconditioner is then fed into a model 165 extruder obtained from Wenger and gelatinized. The extruder has six zones and the temperatures in the six zones are about 87°C, about 87°C, about 102°C, about 101°C, about 102°C, and about 127°C. The pressure upon leaving the extruder is about 3.4 MPa gauge.

10 The gelatinized mixture is forced through the orifice of a die. The orifice is in the shape of a circle in cross section with a diameter of 10 mm. The extrudate leaving the die is cut into pieces of 14 mm length. The pieces are then coated with flavoring agents and dried in the normal manner.

15 The pieces have a density of about 328 kg/m³ and a moisture content of about 8.5% by weight.

Example No. 1B

15 A second dry mix is prepared and extrusion cooked, cut and flavor coated as described above in Example 1A to produce a second pet food, except that instead of having the beef and bone meal of Example 1A, the dry mix contains 16% by weight of corn gluten meal. The product had a density of about 280 kg/m³.

Example No. 2

20 An amount of 50 dried pieces obtained using the process of Example 1A are subjected to texture analysis using a TA-XT2 Texture Analyzer obtained from Stable Micro Systems, Inc. The Texture Analyzer is fitted with a rod-like probe which has a length of about 52 mm. The probe is made up of two sections; a first section and a second section. The first section has a length of about 21 mm and a constant diameter of about 9.5 mm. The second section tapers down to a point having a contact area of about 1 mm². The Texture Analyzer is operated at a speed of 5 mm/s and a contact force of 5 g.

25 Each piece is placed on a base under the probe. The probe is moved downwardly and into the piece. The distance of penetration of the probe into the piece, the compression force and the time are recorded at a rate of 200 recordings per second. Breakage of the piece is determined upon a sharp fall off of the compression force. 30 The distance of penetration, the compression force and the time are recorded at the moment of breakage. The values obtained for all pieces are then averaged.

For comparison, the process is repeated for each group of 50 pieces of products used in the dental trial (Example 3). The results are as follows:

<u>Product</u>	<u>Distance to breakage /mm</u>
Example 1A	6.56
Example 1B	9.50
Purina Dog Chow	3.30

The results indicate that the pieces of Examples No. 1A and 1B are significantly better than standard dry dog foods.

Because the products of Examples 1A and 1B are resistant to breakage, the animal needs to bite deeper into each piece of the product before it breaks. Therefore the animal's teeth are subjected to improved mechanical cleaning.

Example No. 3

A group of 36 healthy adult dogs are used in this trial. Each animal is given a complete veterinary physical examination. Oral exams are also conducted to select only dogs without obvious dental/oral problems. The dogs are divided into three groups of 12 dogs each with an even distribution of age, sex, and susceptibility to calculus formation in each group. During the trial, the dogs have ad libitum access to water and food and are fed once daily. The food consumption of each dog is monitored daily.

The weight of each dog is recorded at the start of the trial and again each week.

The trial is initiated by performing complete dental prophylaxis on all dogs to carefully remove (by ultrasonic teeth cleaning) all supra- and sub-gingival deposits of plaque and calculus. Also, the dogs' teeth are thoroughly polished. Each group of dogs is then randomly allocated a different food product and fed that product for the duration of the trial. Group 1 is fed the pieces of Example No. 1A, Group 2 is fed the second dental prototype of Example No. 1B, and Group 3 is fed Purina Dog Chow.

After 7 days of feeding, dogs are sedated and a few drops of a 3% erythrosin plaque-disclosing solution are applied to the teeth of each dog and then thoroughly rinsed off with tap water. Plaque evaluation is then carried out on gingival and occlusal halves of the upper third incisors, upper and lower canines, upper 3rd and 4th premolars, upper first molars, lower 3rd and 4th premolars, and lower first molars. An assessment

of the buccal tooth surface that is covered with plaque is made according to the following scale:

5 0 = No observable plaque;
 1 = Plaque covering less than 25% of the tooth surface;
 2 = Plaque covering between 25% and 50% of the tooth surface;
 3 = Plaque covering between 50% and 75% of the tooth surface;
 4 = Plaque covering greater than 75% of the tooth surface.

Plaque thickness is assessed as follows:

10 1 = Light or thin, a light pink color;
 2 = Medium, a moderate or medium shade of red;
 3 = Heavy or thick, a dark bright shade of red.

15 A score is then obtained by multiplying the coverage score by the thickness score for each half of the 14 teeth to give a score ranging from 0 to 12. The score for each half of a tooth are added to provide a whole tooth score. The whole tooth scores are then averaged.

20 On the 21st day of the trial, evaluation of calculus is similarly performed for each animal on the proximal, mesial, and distal thirds of the 18 teeth previously examined. No disclosing solution is used to score calculus. The scores for each third of a tooth are added to provide a whole tooth score and all whole tooth scores are averaged. Concurrent with calculus scoring, a gingival index is performed in which one score is recorded per tooth based on the most severe portion of the tooth's gingival margin.

Gingival index is assessed as follows:

25 0 = No inflammation or swelling;
 1 = Mild inflammation, slight redness or swelling, no bleeding on gentle probing;
 2 = Moderate inflammation, redness and swelling, bleeding on gentle probing;
 3 = Severe inflammation, bright red and swollen gingiva, spontaneous bleeding

30 on probing.

Scores for all animals in each group are averaged and the results are as follows:

	Product	Plaque Score		Calculus Score		Gingival Index	
		Day 7	Day 21	Day 21	Day 21	Day 21	Day 21
35	Example 1A Dental	6.45		3.87		0.24	
	Example 1B Dental	6.93		4.06		0.24	
	Purina Dog Chow	7.79		5.33		0.46	

The results indicate that the products of Example No. 1 show significantly improved cleaning of the dogs' teeth over a commercially available dry dog food. These results correlate with those of Example No. 2.

5

Example No. 4

A group of 36 healthy adult dogs are used in this trial. Each animal is given a complete veterinary physical examination. Oral exams are also conducted to select only dogs without obvious dental/oral problems. The dogs are divided into three groups of 12 dogs each with an even distribution of age, sex, and susceptibility to calculus formation in each group. During the trial, the dogs have ad libitum access to water and food and are fed once daily. The food consumption of each dog is monitored daily. The weight of each dog is recorded at the start of the trial and again each week.

The trial is initiated by performing complete dental prophylaxis on all dogs to carefully remove (by ultrasonic teeth cleaning) all supra- and sub-gingival deposits of plaque and calculus. Also, the dogs' teeth are thoroughly polished. Each group of dogs is then randomly allocated a different food product and fed that product for the duration of the trial. Group 1 is fed the pieces of Example No. 1B, in a 50:50 blend with standard-sized Alpo Complete pieces. Group 2 is fed the pieces of Example No. 1B, in a 25:75 blend with standard-sized Alpo Complete pieces (25% dental pieces). Group 20 3 is fed standard Alpo Complete dry dog food.

Plaque, calculus, and gingival scores are performed as in Example No. 3. Scores for all animals in each group are averaged and the results are as follows:

	Product	Plaque Score	Calculus Score	Gingival Index
		Day 7	Day 21	Day 21
25	50% Dental	7.69	3.29	0.45
	25% Dental	7.39	2.97	0.46
	Alpo Complete	8.56	5.36	0.56

The results indicate that the two test products show significantly improved 30 cleaning of the dogs' teeth over standard dry dog food.

Example No. 5

Fifty dried pieces obtained using the inventive products of Example 4 were subjected to texture analysis as described in Example 2.

For comparison, the process is performed for each group of 50 pieces of dry products used in the dental trial (Example 4). The results are as follows:

	<u>Product</u>	<u>Distance to Breakage/mm</u>
5	ALPO Complete (nugget)	2.1
	ALPO Complete (bone)	1.2
10	Example 4 (large pieces) (density of 19.9 lbs/ft ³)	6.7
	Example 4 (small pieces) (density of 20.2 lbs/ft ³)	2.3

The results indicate that the large pieces of Example 4 are significantly better than standard dried pet foods.

15 Because the products of Examples 1 and 4 are resistant to breakage, the animal needs to bite deeper into each piece of the product before it breaks. Therefore the animal's teeth are subjected to improved mechanical cleaning.

Example No. 6

Eleven dogs (Labradors and beagles) are selected for a chewing time trial. Each 20 day, a predetermined quantity of food is given to each dog, according to its individual metabolic/activity needs. Each day the food is different and the meal is individually timed to determine the time to completion by a particular participating dog. The different food meals and chewing times are shown in the accompanying graph, figure 1.

The formulations for the test diets are the following:

25 a. High beef and bone meal (BBM) formula, comprising 16% w/w beef and bone meal, 61.8% w/w corn, and being free of corn gluten meal, provided as kibbles having a pentagonal shape;

b. High beef and bone meal (BBM) formula, comprising 16% w/w beef and bone meal, 61.8% w/w corn, and being free of corn gluten meal, provided as kibbles having a triangular shape;

30 c. High beef and bone meal (BBM) formula, comprising 16% w/w beef and bone meal, 61.8% w/w corn, and being free of corn gluten meal, provided as kibbles having a modified (rounded corner) pentagonal shape;

- d. High corn gluten meal (CGM) formula, comprising 16% w/w corn gluten meal, 61.8% w/w corn, and being free of beef and bone meal, provided as kibbles having a triangular shape;
- 5 e. High corn gluten meal (CGM) formula, comprising 16% w/w corn gluten meal, 61.8% w/w corn, and being free of beef and bone meal, provided as kibbles having a star shape;
- f. High corn gluten meal (CGM) formula, comprising 16% w/w corn gluten meal, 61.8% w/w corn, and being free of beef and bone meal, provided as kibbles having a star shape;
- 10 g. Purina Dog Chow (available from the Ralston Purina company, USA);
- h. Pedigree dog food;
- i. The CGM formula above in kibbles having a triangle shape, but being mixed with standard ALPO puppy chunk and gravy product at ratio of 50% dry: 50% canned;
- 15 j. CGM formula triangle shape mixed with standard ALPO puppy chunk and gravy product at ratio of 75% canned:25% dry; and

The same 11 dogs ate all products on consecutive days.

It was noted that the lower density food products had the longest chewing times, that standard dry products had the fastest chewing times, and that mixing the large triangle piece with canned food also resulted in extended chewing. See figure 1.

20 It should be understood that various changes and modifications to the presently preferred embodiments described herein will be apparent to those skilled in the art. Such changes and modifications can be made without departing from the spirit and scope of the present invention and without diminishing its attendant advantages. It is therefore intended that such changes and modifications be covered by the appended 25 claims.

WE CLAIM:

1. A dried pet food comprising a matrix including a protein source, a carbohydrate source, insoluble fiber and having a length of at least 15 mm, a width of 5 at least 13.5 mm, and a thickness of at least 12 mm.

2. The dried pet food of Claim 1 wherein the protein source comprises denatured protein.

10 3. The dried pet food of Claim 1 wherein the carbohydrate source comprises gelatinized carbohydrate.

4. The dried pet food of Claim 1 wherein the insoluble fiber comprises approximately 2% to about 15% by weight of the matrix.

15 5. The dried pet food of Claim 1 wherein the insoluble fiber is a cellulose fiber.

6. The dried pet food of Claim 1 wherein the product does not include a 20 humectant.

7. A dried pet food comprising a matrix including a protein source, a carbohydrate source, an insoluble fiber and having a density of less than 20.5 lbs/ft³.

25 8. The dried pet food of Claim 7 wherein the protein source comprises denatured protein.

9. The dried pet food of Claim 7 wherein the carbohydrate source comprises gelatinized carbohydrate.

10. The dried pet food of Claim 7 wherein the insoluble fiber comprises approximately 2% to about 15% by weight of the matrix.

11. The dried pet food of Claim 7 wherein the insoluble fiber is a cellulose
5 fiber.

12. The dried pet food of Claim 7 wherein the product does not include a humectant.

10 13. A dried pet food comprising a matrix including a protein source, a carbohydrate source, insoluble fiber, a density of less than 20.5 lbs/ft³ and having a length of at least 15 mm, a width of at least 13.5 mm, and a thickness of at least 12 mm.

14. The dried pet food of Claim 13 wherein the protein source comprises
15 denatured protein.

15. The dried pet food of Claim 13 wherein the carbohydrate source comprises gelatinized carbohydrate.

20 16. The dried pet food of Claim 13 wherein the insoluble fiber comprises approximately 2% to about 15% by weight of the matrix.

17. The dried pet food of Claim 13 wherein the product does not include a humectant.

25 18. A dried pet food comprising at least 25% by weight of a kibble including a matrix having a protein source, carbohydrate source, insoluble fiber, and a density of less than 20.5 lbs/ft³.

30 19. The dried pet food of Claim 18 wherein the matrix has a length of at least 15 mm, a width of at least 13.5 mm, and a thickness of at least 12 mm.

20. A method of reducing calculus and plaque build-up on a pet's teeth comprising the step of allowing the pet to chew on dried pet food having a matrix including a protein source, a carbohydrate source, insoluble fiber, and having a density of less than 20.5 lb/ft³.

5 21. A method according to claim 20 including the step of providing the pet food as a kibble having a shape selected from a triangle, a pentagon and a star.

10 22. A method according to claim 20 or claim 21 including mixing the dried pet food with a wet pet food.


23. A method according to claim 22 wherein the ratio of wet pet food to dry pet food is at least 50:50.

15 24. A dried pet food according to any one of claims 1-12 and 18 having a body in the shape of a triangle, pentagon or star.

20 25. A dried pet food according to any one of claims 1-19 and 24 having corn gluten meal as a protein source.

26. A dried pet food according to any one of claims 1-19 and 24-25 having a density of 18 lbs/ft³ or less.

25

Figure 1**CHEWING TIMES**

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 July 2001 (19.07.2001)

PCT

(10) International Publication Number
WO 01/50882 A3

(51) International Patent Classification: A23K 1/18.
A61K 7/16

31st Street, St. Joseph, MO 64501 (US). **ANDERSON, Donna, Elizabeth** [US/US]; 7702 NW Eastside Drive, Weatherby Lake, MO 64152 (US). **DIXON, Dan** [US/US]; 12527 Country Road 443, St. Joseph, MO 64505 (US).

(21) International Application Number: PCT/EP01/00307

(74) Agent: **VUILLE, Roman**; Avenue Nestlé 55, CH-1800 Vevey (CH).

(22) International Filing Date: 10 January 2001 (10.01.2001)

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(25) Filing Language: English

(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

(26) Publication Language: English

Published:


— with international search report

(30) Priority Data:
09/483,328 14 January 2000 (14.01.2000) US

(88) Date of publication of the international search report:
17 January 2002

[Continued on next page]

(54) Title: DENTAL DIET FOR REDUCING TARTAR



(57) Abstract: A dried pet food which is able to mechanically clean the teeth of pets when chewed. The pet food is based on a matrix of a protein source and a carbohydrate source. The density of the product is less than 20.5 lbs/ft³. The product also has a large size as compared to at least some other prior dried pet food.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/E 01/00307

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 A23K1/18 A61K7/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23K A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
X	EP 0 575 021 A (COLGATE PALMOLIVE CO) 22 December 1993 (1993-12-22) cited in the application page 4, line 10 -page 5, line 10 claims 1-3,6,7	1-20,25, 26
Y	---	21-24
X	EP 0 749 695 A (NESTLE SA) 27 December 1996 (1996-12-27) column 1, line 49 -column 2, line 7 claims 1,3; figure 1; examples 1,3	1,6,7, 12,13, 17-19
Y	---	22,23
Y	US 4 800 099 A (GELLMAN GARY ET AL) 24 January 1989 (1989-01-24) column 9, paragraph 1 -----	21,24

Further documents are listed in the continuation of box C.

Patent family members are listed in annex

* Special categories of cited documents

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority, claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

28 June 2001

04/07/2001

Name and mailing address of the ISA
 European Patent Office, P B 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel (+31-70) 340-2040, Tx 31 651 epo nl.
 Fax (+31-70) 340-3016

Authorized officer

Rooney, K

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/E 01/00307

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
EP 0575021	A 22-12-1993	US 5431927 A		11-07-1995
		AT 156667 T		15-08-1997
		AU 3984893 A		23-12-1993
		CA 2097757 A		17-12-1993
		DE 69313034 D		18-09-1997
		DE 69313034 T		19-03-1998
		DK 575021 T		30-03-1998
		ES 2106958 T		16-11-1997
		FI 932738 A		21-03-1994
		JP 6062763 A		08-03-1994
		NO 932197 A		17-12-1993
		PT 101288 A,B		31-05-1994
EP 0749695	A 27-12-1996	AU 712560 B		11-11-1999
		AU 5606096 A		09-01-1997
		BR 9602844 A		22-04-1998
		CA 2179532 A		21-12-1996
		JP 9000169 A		07-01-1997
		NO 962602 A		23-12-1996
		NZ 286836 A		26-08-1998
		US 6086939 A		11-07-2000
US 4800099	A 24-01-1989	US 4743461 A		10-05-1988